


Chameleon Creative

V-Layer Panels



- Specifications -




General

Article number	Cut out	Size	Amount of panels	Nett weight	Gross weight
11210.160	VL01	580 x 1180 mm	4	± 10 kg	
11210.161	VL02	580 x 1180 mm	4	± 10 kg	
11210.162	VL03	580 x 1180 mm	4	± 10 kg	
11210.163	VL04	580 x 1180 mm	4	± 10 kg	
11210.164	VL05	580 x 1180 mm	4	± 10 kg	
11210.165	VL06	580 x 1180 mm	4	± 10 kg	
11210.166	VL07	580 x 1180 mm	4	± 10 kg	
11210.167	VL08	580 x 1180 mm	4	± 10 kg	
11210.168	VL09	580 x 1180 mm	4	± 10 kg	
11210.169	VL10	580 x 1180 mm	4	± 10 kg	


Cut outs




LP01




LP02




LP03




LP04




LP05




LP06




LP07



LP08




LP09




LP10

Colours



White
P001



Dusty white
P002



White marble
P003



Calm grey
P004



Rough grey
P005



Black lava
P006



Flat white
P007



Hare
P008



Canyon
P009



Turmeric
P010



Rust
P011



Tree bark
P012



Magma
P013



Polar ice
P014



Light blue quartz
P015



Dusk
P016



Pink rose
P017



Garnet
P018



Iguana
P019



Green ocean
P020



Anthracite
P021

Technical

Material:	60% gerecycled PET bottles, 40% new polyester fibre	
Thickness:	18 mm (2x 9 mm panel glued together)	
Cut out:	Front panel with a 3 mm deep v-cut pattern, at a 45 degree angle	
Finishing:	Chamfered edges (bevel-cut)	
Acoustic performance:	NRC 0,5 (estimate, test result not available yet)	
Fire resistance:	EN13501:	B-s1, d0
	ASTM-E84-16:	Class A
	GB8624-2012:	A2
Mounting:	Velcro	

Packaging

Type:	Cardboard
Content:	Chameleon Acoustic Panel
Packaging unit:	1 unit
Materials:	Corrugated cardboard, bubble wrap
Size:	± 210 x 620 x 1220 mm

