

Chameleon Creative V-Cut Panels



- Specifications -




General

Article number	Cut out	Size	Amount of panels	Nett weight	Gross weight
11210.140	VP01	580 x 1180 mm	4	± 5 kg	± 6 kg
11210.141	VP02	580 x 1180 mm	4	± 5 kg	± 6 kg
11210.142	VP03	580 x 1180 mm	4	± 5 kg	± 6 kg
11210.143	VP04	580 x 1180 mm	4	± 5 kg	± 6 kg
11210.144	VP05	580 x 1180 mm	4	± 5 kg	± 6 kg
11210.145	VP06	580 x 1180 mm	4	± 5 kg	± 6 kg
11210.146	VP07	580 x 1180 mm	4	± 5 kg	± 6 kg
11210.147	VP08	580 x 1180 mm	4	± 5 kg	± 6 kg
11210.148	VP09	580 x 1180 mm	4	± 5 kg	± 6 kg
11210.149	VP10	580 x 1180 mm	4	± 5 kg	± 6 kg


Cut outs




VP01




VP02




VP03




VP04




VP05




VP06




VP07



VP08




VP09




VP10

Colours



White
P001



Dusty white
P002



White marble
P003



Calm grey
P004



Rough grey
P005



Black lava
P006



Flat white
P007



Hare
P008



Canyon
P009




Turmeric
P010



Rust
P011



Tree bark
P012



Magma
P013



Polar ice
P014



Light blue quartz
P015




Dusk
P016



Pink rose
P017



Garnet
P018



Iguana
P019



Green ocean
P020



Anthracite
P021

Technical

Material:	60% gerecycled PET bottles, 40% new polyester fibre	
Thickness:	9 mm	
Cut out:	A 3 mm deep v-cut pattern, at a 45 degree angle	
Finishing:	Zijkanten afgewerkt met een bevel-cut	
Acoustic performance:	NRC 0,3	
Fire resistance:	EN13501:	B-s1, d0
	ASTM-E84-16:	Class A
	GB8624-2012:	A2
Mounting:	Velcro	

Packaging

Type:	Cardboard
Content:	Chameleon Acoustic Panel
Packaging unit:	1 unit
Materials:	Corrugated cardboard, bubble wrap
Size:	± 210 x 620 x 1220 mm

