Chameleon VisuWall

Specifications







Chameleon quality

The core of the Chameleon range is formed by the whiteboard. A Chameleon whiteboard can be recognized for its quality, which is visible in four ways:

- 1. Durability: Chameleon whiteboards are 10 mm thick with a robust, water-repellent MDF core (FSC-certified, see sustainability).
- 2. Surface: Chameleon whiteboards feature high-quality magnetic enamel steel, recognizable by a smooth surface without imperfections. We offer a lifetime warranty on writing and erasing on all enamel surfaces. Below is an overview of our enamel surface options.



- 3. Finish: Chameleon whiteboards are machine-cut and then hand-finished. We pay great attention to the finishing process.
- 4. Installation: Chameleon uses a unique TÜV-certified mounting system that works with magnetic plates.

Code	Surface	Description	Writing / erasing	Panel edge colour	Maximum dimension
W	Whiteboard white	Most popular whiteboard surface with a high gloss finish	Whiteboard markers / dry erase	Black outer edges, white inner edges	1480×2980 mm
В	Chalkboard - grey	Colourfast, durable surface with a soft and even grey colour distribution	Chalk / dry erase	Black outer edges, white inner edges	1180×2980 mm
G	Chalkboard - green	Colourfast, durable surface with a soft and even green colour distribution	Chalk / dry erase	Black outer edges, white inner edges	1480×2980 mm
L	Low Gloss	White whiteboard with a slightly matte surface, also suitable for projection	Whiteboard markers / dry erase	Black outer edges, white inner edges	1480×2980 mm
GL	Grey Low Gloss	Light grey matte whiteboard surface	Whiteboard markers / dry erase	Black outer edges, white inner edges	1180×2980 mm
Р	Projection*	Very matte surface, suitable for projection	Whiteboard markers / wet erase	Black outer edges, white inner edges	1480×2980 mm

* Not included on product-level.



General



Size (cm)	Article number	Number of panels	Gross weight	Nett weight
198 x 196	16006.000 (+ code)	2	70	100
198 x 294	16006.001(+code)	3	110	150
198 x 392	16006.002 (+ code)	4	140	180
198 x 490	16006.003(+code)	5	180	220




Technical

Characteristics:	 Magnetic and dry erasable Suitable for very intensive use 	
Thickness:	10 mm	
Mounting:	TÜV-certified magnetic mounting system	TUV Norderland CA
Warranty:	2 years	S - 700 Approve
Surface warranty:	Lifetime on writing and dry erasing	

Construction

Whiteboard panel

1. Surface:	White enamel steel of 0.4 mm (Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0)	
2. Carrier:	MDF 9 mm (FSC 70%)	
3. Backing:	0,4 mm galvanised steel sheet	
4. Finishing:	Black painted outer edges, white painted inner edges	



Construction

Magnetic mounting plate

5. Magnetic sheet:	Anisotropic magnet, 1,5 mm thick			
6. Adhesive layer:	Double-sided tape			
7. Mounting plate:	Gegalvanised-steel plate, 3 mm thick, with holes for screwing			
6. Galvanised steel 5. Double-sided tape 4. Anisotropic magnet 3. Galvanised steel 2. MDF		 9 mm	- 3 mm - 0,004 mm 1,5 mm -	Magetic mountingplate Chameleon panel
1. Enamel —			_	

Packaging

Туре:	Crate	
Content:	Chameleon whiteboard panel, mounting plate, screws, dowels and mounting instructions	
Packaging unit:	lunit	
Materials:	Wood, cardboard, polyethylene protection tube	
Size:	Size board + 3 cm width, 3 cm depth, 4 cm height	