

# Chameleon Creatives

## Specifications

---



# 9 mm PET-felt

## Material

Chameleon Acoustics consists of 100% recyclable polyethylene terephthalate (PET), part of which comes from recycled PET bottles. These materials are processed into a sound-absorbing felt with a soft structure.

## Thickness and dimensions

The thickness of the PET felt panels is 9 or 18 mm. The maximum panel size is 120 x 240 cm.

## Fire resistance


EN13501	B-s1, d0
---------	----------

## Acoustics

9 mm Chameleon Acoustics is tested according to ISO 354-2006; NRC 0.3.

## Mounting

Chameleon Acoustics panels feature Velcro mounting. This has the advantage that the panels are quick and simple to assemble, can be reused and that materials can be separated in the future. On request, we can also supply panels without Velcro for gluing to the wall.



# Colours


Chameleon Sharp Acoustics' 9 mm PET felt is a through-and-through colour. In creative cut-outs, the colour is also visible in the cut-out. We have selected 21 colours, with strong representation in greys and browns.




White  
P001



Dusty white  
P002




White marble  
P003



Calm grey  
P004




Rough grey  
P005




Black lava  
P006



Flat white  
P007



Hare  
P008




Canyon  
P009



Turmeric  
P010



Rust  
P011



Tree bark  
P012




Magma  
P013




Polar ice  
P014




Light blue  
quartz  
P015




Dusk  
P016



Pink rose  
P017



Garnet  
P018



Iguana  
P019




Ocean green  
P020




Anthracite  
P021

# Patterns


The Chameleon Creatives walls measure 240×480 cm, constructed from 240×120 cm panels. The 8 available V-cut designs are scaled to your wall size by us and cut into the panels. The sides of the panels contain a small bevel which subtly incorporates the seam into the pattern as a 2–mm V-cut.




CPT101




CPT102




CPT103




CPT104




CPT105



CPT106



CPT107



CPT108

## Technical

Characteristics:	Acoustic
Thickness:	± 12,3 mm (including hanging)
Acoustic value:	NRC: 0.3
Fire resistance:	EN13501: B-s1, d0
Mounting:	Velcro
Warranty:	2 years
V-cut pattern:	4.5 mm deep, ± 8.5 mm wide

## Technical

1. Surface:	PET felt panel, ± 9 mm thick
2. Mounting material:	Velcro, ± 3.3 mm thick



## Packaging

Type:	Shrink wrap
Content:	Chameleon Creatives PET felt panel
Packaging unit:	1 unit
Materials:	Wood, cardboard, polyethylene protective film
Size:	Sign size + 3 cm width, 3 cm depth, 4 cm height