Chameleon Lean Wall

Specifications







Chameleon quality


The core of the Chameleon range is formed by the whiteboard. A Chameleon whiteboard can be recognized for its quality, which is visible in 4 ways:

- 1. Durability: Chameleon whiteboards are 10 mm thick with a sturdy water-repellent MDF core (FSC® certified license code: FSC-C130761).
- 2. Surface: Chameleon whiteboards feature high-quality magnetizable enamel steel, recognizable by a smooth surface without any irregularities. We offer a lifetime warranty on writing and erasing on all enamel surfaces. Below is an overview of our enamel surface options.



- 3. Finish: Chameleon whiteboards are machine-cut and then manually coated for a meticulous finish.
- 4. Installation: Chameleon employs a unique TÜV-certified mounting system that utilizes magnetic plates.

Code	Surface	Description	Writing / erasing	Panel edge colour	Maximum dimension
W	Whiteboard white	Most popular whiteboard surface with a high gloss finish	Whiteboard markers / dry erase	White lacquered	1480×2980 mm
В	Chalkboard - grey	Colourfast, durable surface with a soft and even grey colour distribution	Chalk / dry erase	Blacklacquered	1180×2980 mm
G	Chalkboard - green	Colourfast, durable surface with a soft and even green colour distribution	Chalk / dry erase	Blacklacquered	1480×2980 mm
L	Low Gloss	White whiteboard with a slightly matte surface, also suitable for projection	Whiteboard markers / dry erase	White lacquered	1480×2980 mm
GL	Grey Low Gloss	Light grey matte whiteboard surface	Whiteboard markers / dry erase	White lacquered	1180×2980 mm
Р	Projection*	Very matte surface, suitable for projection	Whiteboard markers / wet erase	White lacquered	1480×2980 mm





General










Size (cm)	Article number	Number of panels	Gross weight	Nett weight
221,6 x 98	15400.100 (+ code)	1	42,5	34
221,6 x196	15400.101 (+ code)	2	92,2	75,2
221,6 x294	15400.102 (+ code)	3	141,9	116,4
221,6 x 392	15400.103 (+ code)	4	191,6	157,6









Technical

- Magnetic and dry-erasable


Properties: - Suitable for very intensive use

- Flexible in application

	····
Thickness:	10 mm
Installation:	If multiple panels need to be linked: 3 magnetic plates on the back, at the seam
Warranty:	2 years
Surface Warranty:	Lifetime warranty on writability and dry erasability

Construction

1. Surface:	Enamel-coated steel 0.4 mm (Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0)
2. Substrate:	9 mm MDF (FSC 70%)
3. Backing:	0.4 mm galvanized steel sheet
4.1 Finish:	White or black lacquered edges
4.2 Finish:	Black rubber U-profile on the top and bottom of the board





Packaging

Type:	Crate
Content:	Chameleon whiteboard panel, mounting plates (if applicable)
Packaging unit:	lunit
Materials:	Wood, corrugated cardboard, foam buffer
Dimensions:	1100 x 2336 x 54 mm
Packaging weight:	8.5 kg

