

Chameleon Harmonica Workwall

Specifications



Chameleon quality

The core of the Chameleon range is formed by the whiteboard. A Chameleon whiteboard can be recognized for its quality, which is visible in four ways:

1. Durability: Chameleon whiteboards are 10 mm thick with a robust, water-repellent MDF core (FSC-certified, see sustainability).
2. Surface: Chameleon whiteboards feature high-quality magnetic enamel steel, recognizable by a smooth surface without imperfections. We offer a lifetime warranty on writing and erasing on all enamel surfaces. Below is an overview of our enamel surface options.
3. Finish: Chameleon whiteboards are machine-cut and then hand-finished. We pay great attention to the finishing process.
4. Installation: Chameleon uses a unique TÜV-certified mounting system that works with magnetic plates.



Chameleon surfaces

What is Ceramic Steel?

All Chameleon surfaces on this page feature a top layer of ceramic steel. This is an enamel layer that, in terms of hardness and smoothness, is comparable to glass. So, it's just as scratch-resistant and has the same long lifespan. Chameleon offers the following ceramic steel surfaces:

High Gloss

This is the most popular whiteboard surface. It has a high gloss level, though slightly less than glass whiteboards. The benefit of the glossy surface is that markings are perfectly visible, making it ideal for presentations and situations where reading from a distance is important, such as in schools.

SatinTones

SatinTones is a ceramic steel surface with a matte finish. The surface exudes calmness and is perfectly readable from all viewing angles. Additionally, this surface is available in six subtle color shades. SatinTones is a good alternative to glass whiteboards.

Chalk

Choosing a chalkboard comes with specific reasons. The most important is that chalk allows for nuances by pressing harder or softer. Chameleon chalkboard surfaces, like the whiteboard surfaces, are made with ceramic steel. This ensures that Chameleon chalkboards can be wiped clean perfectly, even after long use. The matte surfaces are available in green and gray.

Projection


This extremely matte surface shows no reflections. Projecting on this board delivers the best possible image quality from projectors. The board is writable, but erasing is more difficult. However, with the use of whiteboard spray, it can be cleaned effectively.

Type	Surface + code	Colour	Description	Writing / erasing	Panel edge colour	Maximum dimension
High Gloss	High Gloss HG100		Most popular whiteboard surface with a high gloss finish	Whiteboard markers / dry erase	White lacquered	1480x2980 mm
	Satin Snow S200		White whiteboard with a somewhat matte surface, also suitable for projection.	Whiteboard markers / dry erase	White lacquered	1180x2980 mm
SatinTones*	Satin Stone S201		Grey whiteboard with a somewhat matte surface, also suitable for projection.	Whiteboard markers / dry erase	Grey lacquered	1180x2980 mm
	Satin Aqua S202		Blue whiteboard with a somewhat matte surface, also suitable for projection.	Whiteboard markers / dry erase	Blue lacquered	1180x2980 mm
	Satin Leaf S203		Green whiteboard with a somewhat matte surface, also suitable for projection.	Whiteboard markers / dry erase	Green lacquered	1180x2980 mm
	Satin Almond S204		Beige whiteboard with a somewhat matte surface, also suitable for projection.	Whiteboard markers / dry erase	Beige lacquered	1180x2980 mm
	Satin Blossom S205		Pink whiteboard with a somewhat matte surface, also suitable for projection.	Whiteboard markers / dry erase	Pink lacquered	1180x2980 mm
Chalk*	Chalk Graphite C300		Colourfast, durable surface with a soft and even colour distribution	Chalk / dry erase	Black lacquered	1180x2980 mm
	Chalk Canopy C301		Colourfast, durable surface with a soft and even colour distribution	Chalk / dry erase	Black lacquered	1480x2980 mm
Projection**	Projection		Very matte surface, suitable for projection	Whiteboard markers / wet erase	White lacquered	1480x2980 mm



Colours

The 9 mm PET felt from Chameleon Sharp Acoustics is colored throughout. With creative cutouts, the color is also visible in the cutout. We have selected 21 colors, with a strong representation of gray and brown tones.



White
P001



Dusty white
P002



White marble
P003



Calm grey
P004



Rough grey
P005



Black lava
P006



Flat white
P007



Hare
P008



Canyon
P009



Turmeric
P010



Rust
P011



Tree bark
P012



Magma
P013




Polar ice
P014



Light blue
quartz
P015



Dusk
P016



Pink rose
P017



Garnet
P018



Iguana
P019



Ocean green
P020




Anthracite
P021

General



Think big because you can! The 3-part version of this mobile folding wall has a writing surface of up to 3.5 meters wide. Each part can accommodate 2 panels (front and back) with the choice of:

- Ceramic steel writing surface. Standard equipped with High Gloss (HG-100); choose the corresponding item number and surface code for a different surface (see p. 3).
- A PET felt acoustic panel available in 21 colors (see p. 4) and optionally with a print (only on White - P001) or the V-cut pattern DP01.



Size (cm)	Art. no.	Description	Net Weight
196,5 x 118	14013.307*	Frame Harmonica Workwall, 1-piece	43,15
196,5 x 236	14013.308*	Frame Harmonica Workwall, 2-pieces	83,10
196,5 x 354	14013.310*	Frame Harmonica Workwall, 3-pieces	123,00
185 x 118	16001.199	Ceramic steel writing surface	26,00
185 x 118	11208.199 [Color Code]	PET felt panel	14,00
185 x 118	11208.198 [Color Code] [Cutout Code]	PET felt panel, including pattern	± 13,80
185 x 118	11208.197	PET felt panel (White - P001), including printing	14,00

* Frame excluding panels. The panels (2 per frame part) need to be ordered separately.



DP01

Technical

Whiteboard panel

Properties:	- Magnetic and dry-erase - Suitable for very intensive use
Thickness:	7 mm
Installation:	TÜV-certified magnetic mounting system, on the frame
Warranty:	2 years
Surface Warranty:	Lifetime warranty on writability and dry erasing



Technical

PET felt panel

Properties:	- Acoustic - Magnetic for glass board magnets
Thickness:	7 mm
Installation:	Magnetic mounting system, on the frame
Mounting:	Velcro
Warranty:	2 years
Optional V-cut pattern:	4.5 mm deep, ± 8.5 mm wide
Warranty:	2 years
Surface Warranty:	Lifetime warranty on writability and dry erasing

Construction

Whiteboard panel


1. Surface:	0.4mm ceramic steel (Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0)
2. Carrier:	9mm MDF (FSC 70%)
3. Backing:	0.4mm galvanized steel sheet
4. Finishing:	Black lacquered edges



Construction

PET felt panel

1. Surface:	PET felt panel, approximately 9 mm thick
2. Backing:	0.4 mm galvanized steel sheet



Construction

Frame components

Frame	<ul style="list-style-type: none">- Pine wood outer frame, black lacquered- Poplar wood inner frame, unlacquered- 6 or 3 robust hinges (for 3-part or 2-part frame)
Base	Black powder-coated steel
Wheels	Per frame part: 2 robust black wheels, one of which is brake-equipped
Magnetic strips for mounting	14 pieces
Panels	8 pieces

Packaging

Whiteboard panel

Type:	Crate
Content:	Chameleon whiteboard panel
Packaging unit:	1 unit
Materials:	Wood, corrugated cardboard, foam buffer
Dimensions:	1890 x 1230 x 110 mm

Packaging

PET felt panel

Type:	Shrink wrap
Content:	Chameleon PET felt panel
Packaging unit:	1 unit
Materials:	Shrink wrap, corrugated cardboard, EPS bumper
Dimensions:	1890 x 1230 x 110 mm

Packaging

Frame

Type:	Pallet / shrink wrap
Content:	Harmonica Workwall frame
Packaging unit:	1 unit
Materials:	Wooden package, shrink wrap
Pallet dimension:	1300 x 2100 mm