


Chameleon Curve Acoustics

Specifications



Colours

The 18mm PET felt from Chameleon Curve Acoustics is dyed-through. We have selected 21 colors, with a strong representation in shades of gray and brown.



White
P001




Dusty white
P002



White marble
P003



Calm grey
P004



Rough grey
P005




Black lava
P006



Flat white
P007



Hare
P008



Canyon
P009



Turmeric
P010




Rust
P011




Tree bark
P012



Magma
P013




Polar ice
P014




Light blue
quartz
P015



Dusk
P016



Pink rose
P017



Garnet
P018



Iguana
P019



Ocean green
P020




Anthracite
P021


Designs

As standard, the panel is produced without a pattern. Optionally, you can choose from four V-groove patterns, which are cut into the PET felt to enhance the aesthetic value of the panel.


198 x 118 cm




118 x 118 cm



98 x 98 cm



118 x 88 cm



58 x 58 cm




General

Size (cm)	Art. nr.	Cut-out code (optional)	Gross weight	Net weight
118 x 198	11208.301 *	A04, A05, A10, A13	10,53 kg	9,36 kg
118 x 118	11208.302 *	A04, A05, A10, A13	6,26 kg	5,56 kg
98 x 98	11208.303 *	A04, A05, A10, A13	4,28 kg	3,80 kg
88 x 118	11208.304 *	A04, A05, A10, A13	4,68 kg	4,16 kg
58 x 58	11208.305 *	A04, A05, A10, A13	1,53 kg	1,36 kg
Custom	11208.998 *	A04, A05, A10, A13		TBD

* When requesting a quote or placing an order, include the article number first with the color code of the PET felt, optionally followed by the cut-out code: [article number + colour code + cut-out code (optional)].


Technical

Properties:	Acoustic
Material:	100% recyclable PET felt (of which 60% recycled)
Thickness:	Approximately 23.5 mm (including mounting hardware)
Material thickness:	18 mm
Corner radius:	R = 140
Acoustic values:	Directly to the wall: α_w 0,45 / SAA 0,59 50 mm air gap: α_w 0,75 / SAA 0,74 100 mm air gap: α_w 0,80 / SAA 0,74
Fire resistance:	Tested according to EN13501: B-s1, d0
Installation:	Removable magnetic installation
Warranty:	2 years
Optional V-cut pattern:	3 mm deep, \pm 6 mm wide
Edge finishing:	Bevel-cut edge, 3 mm



Construction

1. Surface:	PET felt panel, approximately 18 mm thick
2. Backing:	Galvanized steel, 0.4 mm thick
Mounting material	Magnetic strip



Packaging

Type:	Shrink wrap
Contents:	Chameleon Curve Acoustics panel and assembly manual
Packaging unit:	1 unit
Materials:	Shrink wrap, corrugated cardboard, EPS bumper Large orders: bulk on pallet
Dimensions:	Panel dimensions + 3 cm width, 3 cm depth, 4 cm height