Chameleon Mobile

Specifications





General

Size (cm)	Article nr.	Surface side 1	Surface side 2	Gross weight	Netweight
192,4 x 88,7	15200.422	PET felt panel	High Gloss whiteboard	43,8 kg	34,3 kg
192,4 x 88,7	15200.432	1/3 PET felt - 2/3 white High Gloss whiteboard	1/3 PET felt - 2/3 white High Gloss whiteboard	48,7 kg	39,2 kg
192,4 x 88,7	15200.202	High Gloss whiteboard	High Gloss whiteboard	55,8 kg	46,3 kg


Technical


- Magnet receptive and dry-erasable / acoustic	
- Suitable for very intensive use	
- Flexible deployment	
The base frame can be easily attached to the board frame with 2 bolts.	
NRC: 0.3	
EN13501: B-s1, d0	
2 years	
Lifetime warranty on writability and dry erasability	
2 years	
	 Suitable for very intensive use Flexible deployment The base frame can be easily attached to the board frame with 2 bolts. NRC: 0.3 EN13501: B-s1, dO 2 years Lifetime warranty on writability and dry erasability

Construction


Enamel surface:	e: Ceramic steel, 0.4 mm (Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0)	
PET felt surface:	9 mm PET felt, made of 100% recyclable Polyethylene terephthalate, some of which comes from recycled PET bottles	
Board frame:	Steel core, powder-coated (RAL 9016) aluminum board frame	
Base:	Powder-coated (RAL 9016) aluminum base frame	
Pull loop:	Il loop: Made of genuine cognac-coloured buffalo leather, with synthetic fastening cap	
Wheels:	Transparent skate wheels	

2













Packaging Board + board frame

Туре:	Crate
Content:	Chameleon Mobile board and board frame
Packaging unit:	1 piece
Materials:	Wood, corrugated cardboard, foam buffer
Dimensions:	1910 x 1000 x 85 mm

Packaging Base

Base	
Туре:	Box
Content:	Chameleon Mobile base frame
Packaging unit:	lpiece
Materials:	Cardboard and foam strip
Dimensions:	930 x 530 x 200 mm

Smit Visual B.V. Spaarpot 120-122 5667 KZ Geldrop The Netherlands

