Chameleon
9 mm Single Layer
Specifications

Colours

The 9 mm PET felt of Chameleon 9 mm Single Layer is colored throughout. We have selected 23 colors, with strong representation in shades of gray and brown.

White
P001

Dusty white
P002

White marble
P003

Calm grey
P004

Rough grey
P005

Black lava
P006

Flat white
P007

Hare
P008

Canyon
P009

Turmeric
P010

Rust
P011

Tree bark
P012

Magma
P013

Polar ice
P014

Light blue
quartz
P015

Dusk
P016

Pink rose
P017

Garnet
P018

Iguana
P019

Ocean green
P020

Anthracite
P021

Urban green
P022

Shadow green
P023

Designs

Choice of eight different patterns. The panels are cut so that the seam transition from one panel to the next aligns perfectly with the pattern.

A01

A02

A03

A04

A05

A06

A07

A08

Technical

Article number:	11210.999SL *
Properties:	Acoustic
Material:	100 % recycable PET-vilt (of which more than 50% is recycled)
Material thickness:	9 mm
Dimensions:	Fully custom in width and up to 320 cm in height. Composed of panels 120 cm wide, with filler pieces on the left and right sides
Weight (panel of 120×220 cm)	Gross weight: 5.82 kg Net weight: 4.5 kg
Acoustic values:	Directly to the wall: $\equiv$w 0,25 / SAA 0,30 50 mm air gap: $\equiv$w 0,55 / SAA 0,70 100 mm air gap: $\equiv$w 0,75 / SAA 0,76
Fire resistance:	Tested according to EN13501: B-s1, d0
Installation:	Kit. For walls with a smooth texture: 51505.014. For walls with a rough texture: 51505.007.
Warranty:	2 years
V-cut pattern:	3 mm deep, ± 6 mm wide
Edge finishing:	Bevel-cut edge, 3 mm

* Include the colour code of the PET felt first in the article number, optionally followed by the cut-out code, in your request for a quote or order: [article number + colour code + cut-out code].

6 mm

3 mm

9 mm

Packaging

Type:	Shrink wrap
Content:	Chameleon Sharp Acoustics panel and assembly manual
Packaging unit:	1 unit
Materials:	Shrink wrap, corrugated cardboard, EPS bumper
Dimensions:	Panel dimensions + 3 cm width, 3 cm depth, 4 cm height