

# Chameleon Creative Layer Panels

Specifications

---



# Colours

The 9mm PET felt from Chameleon Creative Panels is dyed-through. The color is also visible in the cutout. We have selected 23 colors, with a strong representation of gray tones and brown tones.



White  
P001



Dusty white  
P002



White marble  
P003



Calm grey  
P004



Rough grey  
P005




Black lava  
P006



Flat white  
P007



Hare  
P008



Canyon  
P009



Turmeric  
P010



Rust  
P011



Tree bark  
P012



Magma  
P013



Polar ice  
P014



Light blue  
quartz  
P015



Dusk  
P016



Pink rose  
P017



Garnet  
P018



Iguana  
P019



Ocean green  
P020



Anthracite  
P021



Urban green  
P022




Shadow green  
P023


# General

Size (cm) (total m <sup>2</sup> )	Article number	Cut-out code (optional)	Number of panels	Gross weight	Nett weight
118 x 58 (2,74)	11210.100 *	LP01	4	± 11 kg	± 10 kg
118 x 58 (2,74)	11210.101 *	LP02	4	± 11 kg	± 10 kg
118 x 58 (2,74)	11210.102 *	LP03	4	± 11 kg	± 10 kg
118 x 58 (2,74)	11210.103 *	LP04	4	± 11 kg	± 10 kg
118 x 58 (2,74)	11210.104 *	LP05	4	± 11 kg	± 10 kg
118 x 58 (2,74)	11210.105 *	LP06	4	± 11 kg	± 10 kg
118 x 58 (2,74)	11210.106 *	LP07	4	± 11 kg	± 10 kg
118 x 58 (2,74)	11210.107 *	LP08	4	± 11 kg	± 10 kg
118 x 58 (2,74)	11210.108 *	LP09	4	± 11 kg	± 10 kg
118 x 58 (2,74)	11210.109 *	LP10	4	± 11 kg	± 10 kg


\* Provide the color code of the front layer first with the article number, followed by the color code of the back layer, in the request for a quotation or order: [article number + color front + colour back].




LP01




LP02




LP03




LP04




LP05




LP06




LP07



LP08



LP09



LP10




## Technical

<b>Material:</b>	Consists of 100% recyclable Polyethylene terephthalate, including a portion from recycled PET bottles.
<b>Properties:</b>	Acoustic.
<b>Thickness:</b>	Approximately 21.3 mm thick (2x9 mm bonded, including suspension hardware).
<b>Cut-out:</b>	Front panel with cutout.
<b>Finish:</b>	Edges are finished with a bevel-cut.
<b>Acoustic value:</b>	Directly to the wall: $\alpha_w 0,45$ / SAA 0,59 50 mm air gap: $\alpha_w 0,75$ / SAA 0,74 100 mm air gap: $\alpha_w 0,80$ / SAA 0,74
<b>Fire resistance:</b>	EN13501: B-s1, d0 (9 mm)
<b>Installation:</b>	Velcro.
<b>Warranty:</b>	2-year warranty.

## Technical

<b>1. Surface:</b>	PET felt panel, approximately 18 mm thick
<b>2. Mounting material:</b>	Velcro, approximately 3.3 mm thick



## Packaging

<b>Type:</b>	Cardboard
<b>Content:</b>	4 Chameleon Creative Layer Panels, assembly manual
<b>Packaging unit:</b>	1 box
<b>Materials:</b>	Corrugated cardboard, bubble wrap
<b>Dimensions:</b>	Approximately 210 x 620 x 1220 mm