


Chameleon Creative V-Layer Panels

Specifications



Colours

The 9mm PET felt from Chameleon Creative Panels is dyed-through. The color is also visible in the cutout. We have selected 23 colors, with a strong representation of gray tones and brown tones.




White
P001



Dusty white
P002



White marble
P003



Calm grey
P004



Rough grey
P005




Black lava
P006



Flat white
P007



Hare
P008



Canyon
P009



Turmeric
P010



Rust
P011



Tree bark
P012



Magma
P013




Polar ice
P014



Light blue
quartz
P015



Dusk
P016



Pink rose
P017



Garnet
P018



Iguana
P019



Ocean green
P020



Anthracite
P021



Urban green
P022




Shadow green
P023


General

Size (cm) (total m ²)	Article number	Cut-out code (optional)	Number of panels	Gross weight	Nett weight
118x58 (2,74)	11210.160 *	VL01	4	± 11 kg	± 10 kg
118x58 (2,74)	11210.161 *	VL02	4	± 11 kg	± 10 kg
118x58 (2,74)	11210.162 *	VL03	4	± 11 kg	± 10 kg
118x58 (2,74)	11210.163 *	VL04	4	± 11 kg	± 10 kg
118x58 (2,74)	11210.164 *	VL05	4	± 11 kg	± 10 kg
118x58 (2,74)	11210.165 *	VL06	4	± 11 kg	± 10 kg
118x58 (2,74)	11210.166 *	VL07	4	± 11 kg	± 10 kg
118x58 (2,74)	11210.167 *	VL08	4	± 11 kg	± 10 kg
118x58 (2,74)	11210.168 *	VL09	4	± 11 kg	± 10 kg
118x58 (2,74)	11210.169 *	VL10	4	± 11 kg	± 10 kg


* Provide the color code of the front layer first with the article number, followed by the color code of the back layer, in the request for a quotation or order: [article number + color front + colour back].




VL01




VL02




VL03




VL04




VL05




VL06




VL07



VL08



VL09



VL10




Technical

Material:	Consists of 100% recyclable Polyethylene terephthalate, including a portion from recycled PET bottles.
Properties:	Acoustic.
Thickness:	Approximately 21.3 mm thick (2x9 mm bonded, including suspension hardware).
Cut-out:	Features a 14 mm deep v-cut pattern, at a 30-degree angle.
Finish:	Edges are finished with a bevel-cut.
Acoustic value:	Directly to the wall: $\alpha_w 0,45$ / SAA 0,59 50 mm air gap: $\alpha_w 0,75$ / SAA 0,74 100 mm air gap: $\alpha_w 0,80$ / SAA 0,74
Fire resistance:	EN13501: B-s1, d0 (9 mm)
Installation:	Velcro.
Warranty:	2-year warranty.

Technical

1. Surface:	PET felt panel, approximately 18 mm thick
2. Mounting material:	Velcro, approximately 3.3 mm thick



Packaging

Type:	Cardboard
Contents:	4 Chameleon Creative V-Layer Panels, assembly manual
Packaging unit:	1 box
Materials:	Corrugated cardboard, bubble wrap
Dimensions:	Approximately 210 x 620 x 1220 mm