



Chameleon Harmonica Workwall

Mobile whiteboards for offices

Content

| | |
|---|---------|
| Why choose Chameleon Harmonica Workwall | Page 3 |
| Effortless installation | Page 4 |
| Why Chameleon? | Page 5 |
| Harmonica Workwall in practice | Page 6 |
| Chameleon available in pCon | Page 7 |
| Specifications | Page 8 |
| Experience Harmonica Workwall in your project | Page 15 |



Harmonica Workwall, 3 panel and 1 panel version

Why choose Chameleon Harmonica Workwall?

The Chameleon Harmonica Workwall is more than a whiteboard wall. It is a flexible collaboration solution that adapts to any workspace. With its fold out design, high quality ceramic steel writing surface and robust construction, the Workwall is a powerful tool for teams, meetings and creative sessions.

✓ Flexible and space efficient

The wall folds out to create a generous writing surface and folds back when a compact setup is required. Ideal for offices where flexibility and efficient use of space are essential.

✓ Encourages collaboration and idea development

The large writing surfaces invite brainstorming, planning and visual thinking. Teams can capture ideas instantly, structure information and maintain a clear overview. In this way the Harmonica Workwall encourages collaboration and creates space for new insights and creative solutions.

✓ Strong and durable

The ceramic steel surface is magnetic, scratch resistant and easy to clean. Designed for intensive daily use and a long service life.

Expertly crafted in the Netherlands

Each Harmonica Workwall whiteboard wall is crafted with precision and expertise in the Netherlands. Harmonica Workwall panels consist of three carefully selected layers: a writing surface, a core and a backing plate.

the frameless design create a refined appearance that fits perfectly within high end office environments. By combining modern technology with craftsmanship, a whiteboard is created that is not only functional but also contributes to calm and visual quality within the space.

After production, each surface is visually inspected and finished by hand. The clean lacquered edges and

The power of flexibility



Workspaces are changing. Office environments are increasingly used for multiple purposes: one moment for team meetings, the next for individual focus or brainstorming sessions. This calls for furniture and tools that can adapt effortlessly to every situation.


The Chameleon Harmonica Workwall has been developed to support this flexibility. It is not a standard whiteboard, but a complete mobile work wall that can be folded open and closed, perfectly aligned with the need of the moment. When opened, it offers a generous writing surface where teams can work simultaneously and share ideas. When folded, the wall takes up minimal space, keeping the workspace organised and uncluttered.

Personalisation for every working environment

The Harmonica Workwall is available in one, two or three panel configurations and can be customised per panel. This allows you to easily choose a ceramic steel writing surface or a PET felt panel for acoustic performance. This flexibility makes it possible to tailor the Workwall perfectly to the space, the desired appearance and the way teams collaborate.



Harmonica Workwall 3 panel version



Harmonica Workwall 1 panel version

Why Chameleon?

You don't choose a Chameleon product just for its high-quality design and proven reliability. You also choose a partner who thinks along with you, responds quickly, and works together to build sustainable solutions. What makes Chameleon unique?

Flexibility is in our DNA

Whether it concerns customisation, a quick adjustment in scheduling, or specific project requirements, we respond swiftly. Our family business is set up to be customer-focused and agile, without compromising on quality or service.



Local production, visible craftsmanship

All Chameleon products are manufactured in-house, in our modern production facilities in Geldrop, near Eindhoven. Here, we combine craftsmanship with technology, with care for people and the environment. We warmly invite customers and partners to see firsthand how we ensure quality, sustainability, and transparency.

Built for the future

Our products are made to last. That's why we offer a lifetime warranty on the ceramic steel writing surface. A long lifespan means less waste, fewer replacements, and therefore a smaller ecological footprint.


Sustainability

As a brand of Smit Visual, we take our responsibility for people and the planet seriously. We continuously work on making our processes, materials, and products more sustainable. For example, we use FSC-certified wood and hold ISO 14001 and Ecovadis Gold certifications. Sustainability is not a project, but an attitude embedded in our daily work.



Harmonica Workwall in practice

The Harmonica Workwall brings flexibility to education. Its clean design and smooth writing surface support a clear and effective learning environment. These examples show how schools use the wall to achieve optimal learning outcomes.



Chameleon available in pCon

The Chameleon product portfolio is an addition to any interior project where collaboration and creativity for end users are key objectives. The whiteboards and acoustic wall panels are available in pCon.planner, pCon.box, pCon Catalog, and pCon.facts.

Already using pCon? Then request our data directly via pCon.login.

[Chameleon data request](#)

I am not using pCon yet

The globally renowned pCon platform is a 3D interior design software used by countless interior professionals. pCon offers various apps you can use. The main tool you need to create 3D visualisations is pCon.planner for laptop/desktop. This software is free to use and can be downloaded here. Don't forget to request the Chameleon data at the top of this page afterwards.

[Download pCon planner](#)

Additional pCon tools

Chameleon assortment items are freely accessible and can be downloaded as 3D files in pCon.catalog.

Configure Chameleon products and place them directly in a space using augmented reality. You can also upload 2D floor plans for precise placement.



pCon.facts

Always have access to product information, 3D models, and images of Chameleon products. Ideal for presentations.

The ultimate quotation tool with the CPQ (Configure, Price, Quote) application. Configure products and determine prices.

Specifications

What is Ceramic steel?

All Chameleon surfaces on this page feature a top layer of ceramic steel which is Cradle to Cradle Bronze certified. This enamel layer offers a hardness and smoothness comparable to glass. It provides the same scratch resistance and the same long lifespan. Chameleon offers the following ceramic steel surfaces:



SatinTones

SatinTones is a ceramic steel surface with a matt appearance. The surface brings calm to the space and remains perfectly legible from every viewing angle. It is also available in fifteen subtle colour tones. SatinTones is an excellent alternative to glassboards.

- ① **Application:** Whiteboard with a low gloss surface. S200 is also suitable for projection
- ① **Writing / erasing:** Whiteboard markers / dry erase
- ① **Panel edge colour:** Same colour as the surface
- ① **Maximum panel size:** 1180x2980 mm / 1480x2980 mm (S200 only)



High Gloss

This surface has a high gloss level although lower than glassboards. The benefit of the glossy finish is that markings are perfectly visible. This makes it ideal for presentations and situations where content is read from a distance, such as in offices.

- ① **Application:** Best selling whiteboard surface with a high gloss level
- ① **Writing / erasing:** Whiteboard markers / dry erase
- ① **Panel edge colour:** White
- ① **Maximum panel size:** 1180x2980 mm / 1480x2980 mm



HG100
High Gloss
S 0500-N
Cool Gray 1 C

Projection

This ultra matt surface shows no reflection whatsoever. Projection on this board therefore delivers the best possible image quality from projectors. The board is writable but erasing is considerably less easy. When cleaned with whiteboard spray it can be restored to a perfectly clean state.

- ① **Application:** Ultra matt surface, highly suitable for projection
- ① **Writing / erasing:** Whiteboard markers / wet erase
- ① **Panel edge colour:** White
- ① **Maximum panel size:** 1180x2980 mm / 1480x2980 mm



Projection
S 0500-N
Cool Gray 1 C

Chalk

Choosing a chalkboard comes with specific benefits. The most important is the ability to create nuances in writing by applying more or less pressure. The Chameleon chalkboard surface is manufactured with ceramic steel just like the whiteboard surfaces. As a result Chameleon chalkboards are perfectly erasable throughout their entire lifespan. The matt surfaces are available in green and grey.


- ① **Application:** Colourfast, wear resistant with an even colour tone
- ① **Writing / erasing:** Chalk / dry erase
- ① **Panel edge colour:** Black
- ① **Maximum panel size:** 1180x2980 mm / 1480x2980 mm (C301 only)



C300
Chalk Graphite
S 7000-N
Black 7C



C301
Chalk Canopy
S 6020-G
560 C



Close-up


Specifications

Colours

The PET felt material used in Chameleon acoustic products is made from recycled PET bottles, largely sourced from post consumer waste. This sustainable material not only offers excellent acoustic performance but also provides a modern and stylish appearance. PET felt is shape stable, hard wearing and low maintenance, and contributes to a pleasant and quiet working environment. The material can easily be cleaned with a lightly damp cloth. Chameleon PET felt is available in no fewer than 23 contemporary colours, making it easy to match with any interior style.





General



| Size (cm) | Item number | Description | Net weight |
|-------------|--|--|------------|
| 196,5 x 118 | 14013.307* | Harmonica Workwall frame, 1 panel | 43,15 |
| 196,5 x 236 | 14013.308* | Frame Harmonica Workwall, 2-panels | 83,10 |
| 196,5 x 354 | 14013.310* | Frame Harmonica Workwall, 3-panels | 123,00 |
| 185 x 118 | 16001.199 | Ceramic steel surface | 26,00 |
| 185 x 118 | 11208.198 [colour code] [cut out code] | PET felt panel | 14,00 |
| 185 x 118 | 11208.197 | PET felt panel, incl. pattern | ± 13,80 |
| 185 x 118 | 16001.005 (+ code) | PET felt panel (White – P001), incl. print | 14,00 |

* Frame excluding panels. The panels (2 per frame section) must be ordered separately.



DP01

Technical

Whiteboard panel

| | |
|-------------------|---|
| Properties: | - Magnetic and dry-erase - Suitable for very intensive use |
| Thickness: | 10 mm |
| Mounting: | TÜV-certified magnetic mounting system |
| Warranty: | 2 years |
| Surface warranty: | Lifetime on writeability and dry erasure |



Construction

Whiteboard panel


| | |
|-------------|---|
| 1. Surface: | Ceramic steel 0.4 mm (Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0) |
| 2. Carrier: | MDF 9 mm (FSC 70%) |
| 3. Backing: | 0.4 mm galvanized steel sheet |
| 4. Finish: | Painted edges, see page 7 |



Construction

Magnetic mounting plate for whiteboard

| | |
|--------------------|---|
| 5. Magnetic sheet: | Anisotropic magnet, 1,5 mm thick |
| 6. Adhesive layer: | Double-sided tape |
| 7. Mounting plate: | Gegalvanised-steel plate, 3 mm thick, with holes for screwing |



Technical


PET-felt panel

| | |
|-------------------|---|
| Properties: | - Acoustic - Magnetic for glassboard magnets |
| Material: | Made from 100% recyclable PET felt, of which more than 50% comes from recycled PET bottles |
| Thickness: | ± 9 mm thick |
| Optional cut out: | 4.5 mm deep, approx. 8.5 mm wide |
| Acoustic value: | Directly on the wall: aw 0.25 / SAA 0.30 50 mm cavity: aw 0.55 / SAA 0.70 100 mm cavity: aw 0.75 / SAA 0.76 |
| Fire resistance: | Tested according to EN13501: B-s1, d0 |
| Installation: | Magnetic mounting system, on the frame |
| Warranty: | 2 years |

Construction

PET-felt panel


| | |
|-------------|-------------------------------|
| 1. Surface: | PET felt 9 mm |
| 2. Backing: | 0.4 mm galvanised steel sheet |



Construction

Magnetic mounting plate for PET felt


| | |
|--------------------|---|
| 5. Magnetic sheet: | Anisotropic magnet, 1,5 mm thick |
| 6. Adhesive layer: | Double-sided tape |
| 7. Mounting plate: | Gegalvanised-steel plate, 3 mm thick, with holes for screwing |



Construction

Magnetic mounting plate

| | |
|--------------------|---|
| 5. Magnetic sheet: | Anisotropic magnet, 1,5 mm thick |
| 6. Adhesive layer: | Double-sided tape |
| 7. Mounting plate: | Gegalvanised-steel plate, 3 mm thick, with holes for screwing |



Packaging

| | |
|-----------------|--|
| Type: | Crate |
| Content: | Chameleon whiteboard panel, mounting plate, screws, dowels and mounting instructions |
| Packaging unit: | 1 unit |
| Materials: | Wood, cardboard, polyethylene protection tube |
| Size: | Size board + 3 cm width, 3 cm depth, 4 cm height |

Experience Harmonica Workwall in your project

Curious to see how Harmonica Workwall fits into your interior design?
We're happy to support you, from samples to custom solutions, from pCon files to showroom visits.

What you can do:

[Request a colour or material sample](#)

[Download pCon-data for project visualisations](#)

[Schedule a consultation with a product specialist](#)

[Visit our showroom by appointment](#)

Smit Visual B.V.

Spaarpot 120-122
5667 KZ Geldrop
The Netherlands

+31(0)40 - 280 85 00
info@smit-visual.nl
chameleonwriting.com