



Chameleon Wall Coverings Combi

Whiteboards and acoustic solutions for offices

Content

Why choose Wall Coverings Combi?

Page 3

Effortless installation

Page 4

Why Chameleon?

Page 5

Chameleon available in pCon

Page 6

Specifications

Page 7

Experience Wall Coverings Combi in your project

Page 16



Wall Coverings Combi - Curve Wall

Why choose Chameleon Wall Coverings Combi?

Each Wall Coverings Combi is crafted with precision and expertise in the Netherlands. This innovative wall panel combines two functions in one design: a magnetic ceramic steel writing surface and high quality PET felt for acoustic absorption.

- ✓ **Two functions, one design**
Write, plan and present on ceramic steel while the PET felt absorbs surrounding sound. Ideal for meeting rooms, project spaces and hybrid workplaces.
- ✓ **Visual calm and acoustic comfort**
Where traditional whiteboards can appear harsh in an interior, Wall Coverings Combi creates balance. The combination of a soft textile texture and a clean writing surface brings calm, both visually and acoustically.
- ✓ **Colour and appearance**
Combine glossy white High Gloss, the classic Chalk chalkboard surface or the soft matte tones of SatinTones with PET felt in various colours. This allows Wall Coverings Combi to align perfectly with the materials and atmosphere of the interior concept.

Expertly crafted in the Netherlands

Each Wall Coverings Combi is crafted with precision and expertise in the Netherlands. These panels consist of three carefully selected layers: a writing surface, a core and a backing plate.

After production, each surface is visually inspected and finished by hand. The clean lacquered edges and the frameless design create a refined appearance that

fits perfectly within high end office environments. By combining modern technology with craftsmanship, a whiteboard is created that is not only functional but also contributes to calm and visual quality within the space.

Effortless installation

Our mounting system consists of two components that together create a revolution in installation:



Magnetic installation system

1. Magnetic plates on the wall


These steel plates, equipped with a powerful magnetic sheet, are securely fixed to the wall with four screws per plate. The required number of plates depends on the size of the whiteboard to ensure safe and stable mounting. The plates form the foundation yet remain invisible after installation. This combination of simplicity and certainty has also been independently tested: the system is TÜV certified, ensuring reliability, safety and long lasting performance.

2. Whiteboards with a magnet receptive backing sheet

The rear side of every Chameleon whiteboard features a thin steel layer. This allows the panel to attach directly to the magnetic plates the moment you place it against the wall. No sliding, no tilting and no visible mounting points. The result is a clean and solid finish. The whiteboard appears to float against the wall. No screw heads. No rails. Only design and function in perfect balance.

Different writing surface configurations

Wall Coverings Combi is easy to install thanks to the clever, TÜV certified magnetic mounting system, allowing both vertical and horizontal installation. This flexibility ensures the board aligns perfectly with the design and use of the space. For maximum installation convenience, use glass lifters (51508.010).



Wall Coverings Combi - Sharp Wall horizontal



Wall Coverings Combi - Sharp Wall vertical

Why Chameleon?

You don't choose a Chameleon product just for its high-quality design and proven reliability. You also choose a partner who thinks along with you, responds quickly, and works together to build sustainable solutions. What makes Chameleon unique?

Flexibility is in our DNA

Whether it concerns customisation, a quick adjustment in scheduling, or specific project requirements, we respond swiftly. Our family business is set up to be customer-focused and agile, without compromising on quality or service.



Local production, visible craftsmanship

All Chameleon products are manufactured in-house, in our modern production facilities in Geldrop, near Eindhoven. Here, we combine craftsmanship with technology, with care for people and the environment. We warmly invite customers and partners to see firsthand how we ensure quality, sustainability, and transparency.

Built for the future

Our products are made to last. That's why we offer a lifetime warranty on the ceramic steel writing surface. A long lifespan means less waste, fewer replacements, and therefore a smaller ecological footprint.

Sustainability

As a brand of Smit Visual, we take our responsibility for people and the planet seriously. We continuously work on making our processes, materials, and products more sustainable. For example, we use FSC-certified wood and hold ISO 14001 and Ecovadis Gold certifications. Sustainability is not a project, but an attitude embedded in our daily work.



Chameleon available in pCon

The Chameleon product portfolio is an addition to any interior project where collaboration and creativity for end users are key objectives. The whiteboards and acoustic wall panels are available in pCon.planner, pCon.box, pCon Catalog, and pCon.facts.

Already using pCon? Then request our data directly via pCon.login.

[Chameleon data request](#)

I am not using pCon yet

The globally renowned pCon platform is a 3D interior design software used by countless interior professionals. pCon offers various apps you can use. The main tool you need to create 3D visualisations is pCon.planner for laptop/desktop. This software is free to use and can be downloaded here. Don't forget to request the Chameleon data at the top of this page afterwards.

[Download pCon planner](#)

Additional pCon tools

Chameleon assortment items are freely accessible and can be downloaded as 3D files in pCon.catalog.

Configure Chameleon products and place them directly in a space using augmented reality. You can also upload 2D floor plans for precise placement.



Always have access to product information, 3D models, and images of Chameleon products. Ideal for presentations.

The ultimate quotation tool with the CPQ (Configure, Price, Quote) application. Configure products and determine prices.

Specifications

What is Ceramic steel?

All Chameleon surfaces on this page feature a top layer of ceramic steel which is Cradle to Cradle Bronze certified. This enamel layer offers a hardness and smoothness comparable to glass. It provides the same scratch resistance and the same long lifespan. Chameleon offers the following ceramic steel surfaces:



SatinTones

SatinTones is a ceramic steel surface with a matt appearance. The surface brings calm to the space and remains perfectly legible from every viewing angle. It is also available in fifteen subtle colour tones. SatinTones is an excellent alternative to glassboards.

- ① **Application:** Whiteboard with a low gloss surface. S200 is also suitable for projection
- ① **Writing / erasing:** Whiteboard markers / dry erase
- ① **Panel edge colour:** Same colour as the surface
- ① **Maximum panel size:** 1180x2980 mm / 1480x2980 mm (S200 only)



High Gloss

This surface has a high gloss level although lower than glassboards. The benefit of the glossy finish is that markings are perfectly visible. This makes it ideal for presentations and situations where content is read from a distance, such as in offices.

- ① **Application:** Best selling whiteboard surface with a high gloss level
- ① **Writing / erasing:** Whiteboard markers / dry erase
- ① **Panel edge colour:** White
- ① **Maximum panel size:** 1180x2980 mm / 1480x2980 mm



HG100
High Gloss
S 0500-N
Cool Gray 1 C

Projection

This ultra matt surface shows no reflection whatsoever. Projection on this board therefore delivers the best possible image quality from projectors. The board is writable but erasing is considerably less easy. When cleaned with whiteboard spray it can be restored to a perfectly clean state.

- ① **Application:** Ultra matt surface, highly suitable for projection
- ① **Writing / erasing:** Whiteboard markers / wet erase
- ① **Panel edge colour:** White
- ① **Maximum panel size:** 1180x2980 mm / 1480x2980 mm



Projection
S 0500-N
Cool Gray 1 C

Chalk

Choosing a chalkboard comes with specific benefits. The most important is the ability to create nuances in writing by applying more or less pressure. The Chameleon chalkboard surface is manufactured with ceramic steel just like the whiteboard surfaces. As a result Chameleon chalkboards are perfectly erasable throughout their entire lifespan. The matt surfaces are available in green and grey.


- ① **Application:** Colourfast, wear resistant with an even colour tone
- ① **Writing / erasing:** Chalk / dry erase
- ① **Panel edge colour:** Black
- ① **Maximum panel size:** 1180x2980 mm / 1480x2980 mm (C301 only)



C300
Chalk Graphite
S 7000-N
Black 7C



C301
Chalk Canopy
S 6020-G
560 C



Close-up

Specifications

Colours

The PET felt material used in Chameleon acoustic products is made from recycled PET bottles, largely sourced from post consumer waste. This sustainable material not only offers excellent acoustic performance but also provides a modern and stylish appearance. PET felt is shape stable, hard wearing and low maintenance, and contributes to a pleasant and quiet working environment. The material can easily be cleaned with a lightly damp cloth. Chameleon PET felt is available in no fewer than 23 contemporary colours, making it easy to match with any interior style.



P001
White



P002
Dusty white



P003
White marble



P004
Calm grey



P005
Rough grey



P006
Black lava



P007
Flat white



P008
Hare



P009
Canyon



P010
Turmeric



P011
Rust



P012
Tree bark



P013
Magma



P014
Polar ice



P015
Light blue quartz



P016
Dusk



P017
Pink rose



P018
Garnet



P019
Iguana



P020
Ocean green



P021
Anthracite




P022
Urban green



P023
Shadow green

General




Size (cm)	Item number	Description	Cut-out code (optional)	Number of panels	Gross weight	Net weight
Whiteboard						
198 x 196	16006.040 (+ code)	Curve Wall	TBC	2	100 kg	70 kg
198 x 294	16006.041 (+ code)	Curve Wall	TBC	3	150 kg	110 kg
198 x 392	16006.042 (+ code)	Curve Wall	TBC	4	180 kg	140 kg
198 x 490	16006.043 (+ code)	Curve Wall	TBC	5	220 kg	180 kg
98 / 118 / 198 x wall-to-wall	16006.999 (+ code)	Sharp Wall	TBC	Custom	TBC	TBC
PET-felt						
Custom	11210.999SL *	9 mm Single Layer	A01 t/m A08	Custom	TBC	TBC

* When submitting a request for quotation or placing an order, please include the PET felt colour code first with the item number, optionally followed by the cut-out code: [item number + colour code + cut-out code (optional)].

Technical

Whiteboard panel


Properties:	- Magnetic and dry-erase - Suitable for very intensive use
Thickness:	10 mm
Mounting:	TÜV-certified magnetic mounting system
Warranty:	2 years
Surface warranty:	Lifetime on writeability and dry erasure



Technical

PET-felt


Properties:	Acoustic
Material:	100% recyclable PET felt (of which more than 50% recycled)
Material thickness:	9 mm
Size:	Fully customised, composed of panels of 220 × 120 cm and filler pieces
Weight (panel 120 × 220 cm):	Gross: 5.82 kg Net: 4.5 kg
Acoustic values:	Directly on the wall: α_w 0.25 / SAA 0.30 50 mm cavity: α_w 0.55 / SAA 0.70 100 mm cavity: α_w 0.75 / SAA 0.76
Fire resistance:	According to EN13501: B-s1, d0
Installation:	Adhesive. For walls with a smooth surface: 51505.014 For walls with a rough surface: 51505.007
Warranty:	2 years
V cut pattern:	3 mm deep, approx. 6 mm wide
Edge finish:	Seams are bevel cut, 3 mm. The sides of the complete wall are without bevel cut.



Acoustic values

PET-felt

		125	250	500	1k	2k	4k
1 Without cavity α_w 0,25 / SAA 0,30		0,00	0,01	0,08	0,27	0,58	0,81
	1,3 oct.	0,00	0,03	0,12	0,37	0,65	0,87
	1/1 oct.	0,02	0,06	0,19	0,47	0,71	0,94
2 50 mm cavity α_w 0,55 / SAA 0,70		0,05	0,17	0,48	0,87	1,01	0,82
	1,3 oct.	0,08	0,24	0,63	0,96	0,98	0,92
	1/1 oct.	0,12	0,37	0,77	0,99	0,87	0,96
3 100 mm cavity α_w 0,75 / SAA 0,76		0,15	0,29	0,73	0,97	0,77	0,92
	1,3 oct.	0,18	0,42	0,82	0,95	0,80	0,93
	1/1 oct.	0,23	0,60	0,92	0,91	0,94	0,95
	1/1 oct.	0,19	0,44	0,82	0,94	0,84	0,93




Configurations

9 mm Single Layer

Product:	9 mm Single Layer
Thickness:	9 mm
Size:	<ul style="list-style-type: none">• Wall-to-wall, composed of panels of 220 x 120 cm, with filler pieces at the top, left and right• Cut-out up to 20 cm within the contours of the whiteboard wall
Colours:	23 colour options, see page 9
Designs:	A01 to A08
Installation:	With adhesive, directly on the wall

Designs


By default, the panel is produced without a pattern. Optionally, four V groove patterns can be selected, which are cut into the PET felt to enhance the aesthetic value of the panel.



Configuration

Whiteboard - Curve Wall


Product:	Whiteboard wall: Curve Wall
Thickness:	10 mm
Size:	198 x 196 cm (2 panels) 198 x 294 cm (3 panels) 198 x 392 cm (4 panels) 198 x 490 cm (5 panels)
Colours / surfaces:	19 options, see p. 7-8
Installation:	<ul style="list-style-type: none"> • Magnetic overlay installation • The whiteboard wall is mounted with a 10 mm overlap over the PET felt, on the magnetic mounting plates which are padded at the rear. • The bottom of Curve Wall is positioned as standard 20 cm above the bottom edge of the PET felt.



Configuration

Whiteboard - Sharp Wall - Landscape 98 cm


Product:	Whiteboard wall: Sharp Wall - Landscape
Thickness:	10 mm
Configuration + size:	98 cm high panels (landscape): panels are evenly distributed across the width of the wall, with a maximum width of 198 cm per panel.
Colours / surfaces:	19 options, see p. 7 - 8
Installation:	<ul style="list-style-type: none"> • Magnetic overlay installation • The whiteboard wall is mounted with a 10 mm overlap over the PET felt, on the magnetic mounting plates which are padded at the rear. • The bottom of Sharp Wall is positioned as standard 110 cm above the bottom edge of the PET felt.



Configuration

Whiteboard - Sharp Wall - Landscape 118 cm



Product:	Whiteboard wall: Sharp Wall - Landscape
Thickness:	10 mm
Configuration + size:	118 cm high panels (landscape): panels are evenly distributed across the width of the wall, with a maximum width of 198 cm per panel
Colours / surfaces:	19 options, see p. 7 - 8
Installation:	<ul style="list-style-type: none"> • Magnetic overlay installation • The whiteboard wall is mounted with a 10 cm overlap over the PET felt, on the magnetic mounting plates which are padded at the rear. • The bottom of Sharp Wall is positioned as standard 100 cm above the bottom edge of the PET felt.




Configuration

Whiteboard - Sharp Wall - Portrait 118 cm

Product:	Whiteboard wall: Sharp Wall - Portrait
Thickness:	10 mm
Configuration + size:	198 cm high panels (portrait): panels are evenly distributed across the width of the wall, with a maximum width of 118 cm per panel
Colours / surfaces:	19 options, see p. 7 - 8
Installation:	<ul style="list-style-type: none"> • Magnetic overlay installation • The whiteboard wall is mounted with a 10 mm overlap over the PET felt, on the magnetic mounting plates which are padded at the rear. • The bottom of Sharp Wall is positioned as standard 20 cm above the bottom edge of the PET felt.




Overlay installation



Construction

Magnetic mounting plate

5. Magnetic sheet:	Anisotropic magnet, 1,5 mm thick
6. Adhesive layer:	Double-sided tape
7. Mounting plate:	Gegalvanised-steel plate, 3 mm thick, with holes for screwing



Packaging

	Whiteboard	PET-felt
Type:	Crate	Shrink wrap
Content:	Chameleon whiteboard panel, mounting plates, screws, wall plugs and installation instructions	Chameleon Acoustics panel, mounting plates or mounting strips, screws, wall plugs and installation instructions
Packaging unit:	1 unit	1 unit
Materials:	Wood, corrugated cardboard, polyethylene protective film	Single items: shrink wrap, corrugated cardboard, EPS corner protection. Large orders: bulk on pallet
Size:	Board dimensions + 3 cm width, 3 cm depth, 4 cm height	Size panel+ 4 cm all around. Total thickness: approx. 3 cm.

Designs

PET-felt

Chameleon 9 mm Single Layer products are installed using adhesive, which is not included. The initial adhesion remains flexible enough to allow slight adjustment of the panels for final positioning. The adhesive can be added to the order. For walls with a smooth surface: 51505.014 (Hercuseal 320 Kit Non Staining Bond White or a comparable adhesive for smooth surfaces). For walls with a rough surface: 51505.007 (Den Braven High Tack adhesive or a comparable adhesive for rough surfaces).

Experience Wall Coverings Combi in your project

Curious to see how Chameleon Wall Coverings Combi fits into your interior design?
We're happy to support you, from samples to custom solutions, from pCon files to showroom visits.

What you can do:

[Request a colour or material sample](#)

[Download pCon-data for project visualisations](#)

[Schedule a consultation with a product specialist](#)

[Visit our showroom by appointment](#)

Smit Visual B.V.

Spaarpot 120-122
5667 KZ Geldrop
The Netherlands

+31(0)40 - 280 85 00
info@smit-visual.nl
chameleonwriting.com