Chameleon Curve Combi

Whiteboards and acoustic solutions for offices

Version 2026 - 1

Content

Why choose Chameleon Curve Combi? Page 3

Effortless installation Page 4

Why Chameleon? Page 5

Chameleon available in pCon Page 6

Specifications Page 7

Experience Curve Combi in your project Page 11

Curve Combi

Why choose Chameleon Curve Combi?

Each Curve Combi panel is crafted with precision and expertise in the Netherlands. This innovative wall panel combines two functions in one design: a magnetic ceramic steel writing surface and high quality PET felt for acoustic absorption.

✓ **Two functions, one design**
Write, plan and present on ceramic steel while the PET felt absorbs surrounding sound. Ideal for meeting rooms, project spaces and hybrid workplaces.

✓ **Visual calm and acoustic comfort**
Where traditional whiteboards can appear harsh in an interior, Curve Combi creates balance. The combination of a soft textile texture and a clean writing surface brings calm both visually and acoustically.

✓ **Colour and appearance**
Combine glossy white High Gloss, the classic Chalk chalkboard surface or the soft matte tones of SatinTones with PET felt in various colours. This allows Curve Combi to align perfectly with the materials and atmosphere of the interior concept.

Expertly crafted in the Netherlands

Each Curve Combi whiteboard is crafted with precision and expertise in the Netherlands. Chameleon Curve Combi panels consist of three carefully selected layers: a writing surface, a core and a backing plate.

After production, each surface is visually inspected and finished by hand. The clean lacquered edges and the frameless design create a refined appearance that fits perfectly within high end office environments. By combining modern technology with craftsmanship, a whiteboard is created that is not only functional but also contributes to calm and visual quality within the space.

Effortless installation

Our mounting system consists of two components that together create a revolution in installation:

Magnetic installation system

1. Magnetic plates on the wall

These steel plates, equipped with a powerful magnetic sheet, are securely fixed to the wall with four screws per plate. The required number of plates depends on the size of the whiteboard to ensure safe and stable mounting. The plates form the foundation yet remain invisible after installation. This combination of simplicity and certainty has also been independently tested: the system is TÜV certified, ensuring reliability, safety and long lasting performance.

2. Whiteboards with a magnet receptive backing sheet

The rear side of every Chameleon whiteboard features a thin steel layer. This allows the panel to attach directly to the magnetic plates the moment you place it against the wall. No sliding, no tilting and no visible mounting points. The result is a clean and solid finish. The whiteboard appears to float against the wall. No screw heads. No rails. Only design and function in perfect balance.

Install the way you want, fast and stylish

Curve Combi is easy to install thanks to the clever, TÜV certified magnetic mounting system, regardless of the chosen whiteboard size. The system allows for fast and precise installation, ensuring the board always aligns perfectly with the design and use of the space. For additional installation convenience, use glass lifters 51508.010.

Curve Combi 118 x 222 cm



Curve Combi 98 x 146 cm

Why Chameleon?

You don't choose a Chameleon product just for its high-quality design and proven reliability.
You also choose a partner who thinks along with you, responds quickly, and works together to build sustainable solutions. What makes Chameleon unique?

Flexibility is in our DNA

Whether it concerns customisation, a quick adjustment in scheduling, or specific project requirements, we respond swiftly. Our family business is set up to be customer-focused and agile, without compromising on quality or service.



Sustainability

As a brand of Smit Visual, we take our responsibility for people and the planet seriously. We continuously work on making our processes, materials, and products more sustainable. For example, we use FSC®-certified wood and hold ISO 14001 and Ecovadis Gold certifications. Sustainability is not a project, but an attitude embedded in our daily work.

Local production, visible craftmanship

All Chameleon products are manufactured in-house, in our modern production facilities in Geldrop, near Eindhoven. Here, we combine craftsmanship with technology, with care for people and the environment. We warmly invite customers and partners to see firsthand how we ensure quality, sustainability, and transparency.

Built for the future

Our products are made to last. That's why we offer a lifetime warranty on the ceramic steel writing surface. A long lifespan means less waste, fewer replacements, and therefore a smaller ecological footprint.

FSC www.fsc.org FSC® C137061 The mark of responsible forestry

GOLD | Top 5% ecovadis Sustainability Rating JAN 2026

ISO 14001 EBN CERTIFICATION

Chameleon available in pCon

The Chameleon product portfolio is an addition to any interior project where collaboration and creativity for end users are key objectives. The whiteboards and acoustic wall panels are available in pCon.planner, pCon.box, pCon Catalog, and pCon.facts.

Already using pCon? Then request our data directly via **pCon.login**.

Chameleon data request

I am not using pCon yet

The globally renowned pCon platform is a 3D interior design software used by countless interior professionals. pCon offers various apps you can use. The main tool you need to create 3D visualisations is pCon.planner for laptop/desktop. This software is free to use and can be downloaded here. Don't forget to request the Chameleon data at the top of this page afterwards.

Download pCon planner

Additional pCon tools

pCon CATALOG

Chameleon assortment items are freely accessible and can be downloaded as 3D files in pCon.catalog.

pCon.box

Configure Chameleon products and place them directly in a space using augmented reality. You can also upload 2D floor plans for precise placement.

pCon.facts

Always have access to product information, 3D models, and images of Chameleon products. Ideal for presentations.

GET IT ON Google Play

Download on the App Store

pCon.basket

The ultimate quotation tool with the CPQ (Configure, Price, Quote) application. Configure products and determine prices.

Specifications

What is Ceramic steel?

All Chameleon surfaces on this page feature a top layer of ceramic steel which is Cradle to Cradle Bronze certified. This enamel layer offers a hardness and smoothness comparable to glass. It provides the same scratch resistance and the same long lifespan. Chameleon offers the following ceramic steel surfaces:

LIFETIME WARRANTY

SatinTones

SatinTones is a ceramic steel surface with a matt appearance. The surface brings calm to the space and remains perfectly legible from every viewing angle. It is also available in fifteen subtle colour tones. SatinTones is an excellent alternative to glassboards.

- **Application:** Whiteboard with a low gloss surface. S200 is also suitable for projection
- **Writing / erasing:** Whiteboard markers / dry erase
- **Panel edge colour:** Same colour as the surface
- **Maximum panel size:** 1180x2980 mm / 1480x2980 mm (S200 only)

S200	S201	S202	S203	S204	S205	S206	S207
Satin Snow	Satin Stone	Satin Aqua	Satin Leaf	Satin Almond	Satin Blossom	Satin Ivory	Satin Meadow
S 0500-N	S 1502-G50Y	S 0515-R90B	S 2010-G70Y	S 1010-Y20R	S 1005-Y50R	1005-G80Y	S 2005-G20Y
Cool Gray 1 C	Cool Gray 3 C	2707 C	7485 C	7506 C	4755 C	7527 C	5527 C

S208	S209	S210	S211	S212	S213	S214
Satin Heron	Satin Sandstone	Satin Dune	Satin Caramel	Satin Sky	Satin Lagoon	Satin Sage
S 3005-G20Y	S 2005-Y50R	S 2010-Y50R	S 3010-Y20R	S 2010-B	S 2010-B50G	S 3010-G30Y
5645 C	4755 C	482 C	2312 C	643C	5523 C	5645 C

High Gloss

This surface has a high gloss level although lower than glassboards. The benefit of the glossy finish is that markings are perfectly visible. This makes it ideal for presentations and situations where content is read from a distance, such as in offices.

HG100
High Gloss
S 0500-N
Cool Gray 1 C

- **Application:** Best selling whiteboard surface with a high gloss level
- **Writing / erasing:** Whiteboard markers / dry erase
- **Panel edge colour:** White
- **Maximum panel size:** 1180x2980 mm / 1480x2980 mm

Projection

This ultra matt surface shows no reflection whatsoever. Projection on this board therefore delivers the best possible image quality from projectors. The board is writable but erasing is considerably less easy. When cleaned with whiteboard spray it can be restored to a perfectly clean state.

Projection
S 0500-N
Cool Gray 1 C

- **Application:** Ultra matt surface, highly suitable for projection
- **Writing / erasing:** Whiteboard markers / wet erase
- **Panel edge colour:** White
- **Maximum panel size:** 1180x2980 mm / 1480x2980 mm

Chalk

Choosing a chalkboard comes with specific benefits. The most important is the ability to create nuances in writing by applying more or less pressure. The Chameleon chalkboard surface is manufactured with ceramic steel just like the whiteboard surfaces. As a result Chameleon chalkboards are perfectly erasable throughout their entire lifespan. The matt surfaces are available in green and grey.

C300
Chalk Graphite
S 7000-N
Black 7C

C301
Chalk Canopy
S 6020-G
560 C

- **Application:** Colourfast, wear resistant with an even colour tone
- **Writing / erasing:** Chalk / dry erase
- **Panel edge colour:** Black
- **Maximum panel size:** 1180x2980 mm / 1480x2980 mm (C301 only)

Close-up

Specifications

Colours

The PET felt material used in Chameleon acoustic products is made from recycled PET bottles, largely sourced from post consumer waste. This sustainable material not only offers excellent acoustic performance but also provides a modern and stylish appearance. PET felt is shape stable, hard wearing and low maintenance, and contributes to a pleasant and quiet working environment. The material can easily be cleaned with a lightly damp cloth. Chameleon PET felt is available in no fewer than 23 contemporary colours, making it easy to match with any interior style.

P001
White

P002
Dusty white

P003
White marble

P004
Calm grey

P005
Rough grey

P006
Black lava

P007
Flat white

P008
Hare

P009
Canyon

P010
Turmeric

P011
Rust

P012
Tree bark

P013
Magma

P014
Polar ice

P015
Light blue quartz

P016
Dusk

P017
Pink rose

P018
Garnet

P019
Iguana

P020
Ocean green

P021
Anthracite

P022
Urban green

P023
Shadow green

General

Surfaces

HG100 S200 S201 S202 S203 S204 S205 S206 S207

S208 S209 S210 S211 S212 S213 S214 C300 C301

Total dimensions (cm)	Whiteboard dimensions (cm)	PET felt dimensions (cm)	Item number	Cut-out code (optional)	Gross weight	Net weight
118 x 296	118 x 198	118 x 98	16006.200 (+ code(s))	A04, A05, A10, A13	45,07 kg	37,56 kg
118 x 222	118 x 148	118 x 74	16006.201 (+ code(s))	A04, A05, A10, A13	31,93 kg	26,61 kg
98 x 146	98 x 98	98 x 48	16006.202 (+ code(s))	A04, A05, A10, A13	19,68 kg	16,4 kg
Custom	Custom	Custom	16006.995 (+ code(s))	A04, A05, A10, A13	N.t.b.	N.t.b.







Technical

Whiteboard panel

Properties:	- Magnetic and dry-erase - Suitable for very intensive use
Thickness:	10 mm
Mounting:	TÜV-certified magnetic mounting system
Warranty:	2 years
Surface warranty:	Lifetime on writeability and dry erasure

Technical

PET-felt

Properties:	Acoustic
Material:	100% recyclable PET felt (of which 50% recycled)
Thickness:	± 14.5 mm (including mounting system)
Material thickness:	9 mm (10 mm incl. backing)
Acoustic values:	αw 0.25 / SAA 0.30
Fire resistance:	Tested according to EN13501: B-s1, d0
Installation:	Remountable magnetic mounting
Warranty:	2 years
Optional V cut pattern:	3 mm deep, ± 6 mm wide



Acoustic values

PET-felt

1 Without cavity
αw 0,25 / SAA 0,30

	125	250	500	1k	2k	4k
	0,00	0,01	0,08	0,27	0,58	0,81
1,3 oct.	0,00	0,03	0,12	0,37	0,65	0,87
	0,02	0,06	0,19	0,47	0,71	0,94
1/1 oct.	0,01	0,03	0,13	0,37	0,65	0,87

2 50 mm cavity
αw 0,55 / SAA 0,70

	125	250	500	1k	2k	4k
	0,05	0,17	0,48	0,87	1,01	0,82
1,3 oct.	0,08	0,24	0,63	0,96	0,98	0,92
	0,12	0,37	0,77	0,99	0,87	0,96
1/1 oct.	0,08	0,26	0,63	0,94	0,95	0,90

3 100 mm cavity
αw 0,75 / SAA 0,76

	125	250	500	1k	2k	4k
	0,15	0,29	0,73	0,97	0,77	0,92
1,3 oct.	0,18	0,42	0,82	0,95	0,80	0,93
	0,23	0,60	0,92	0,91	0,94	0,95
1/1 oct.	0,19	0,44	0,82	0,94	0,84	0,93



Construction Whiteboard panel

1. Surface:	Ceramic steel 0.4 mm (Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0)
2. Carrier:	MDF 9 mm (FSC 70%)
3. Backing:	0.4 mm galvanized steel sheet
4. Finish:	Painted edges, see page 7



Construction PET-felt

1. Surface:	PET felt 9 mm
2. Backing:	0.4 mm galvanised steel sheet



Construction Magnetic mounting plate

5. Magnetic sheet:	Anisotropic magnet, 1,5 mm thick
6. Adhesive layer:	Double-sided tape
7. Mounting plate:	Gegalvanised-steel plate, 3 mm thick, with holes for screwing



Packaging

	Whiteboard	PET-felt
Type:	Crate	Shrink wrap
Content:	Chameleon whiteboard panel, mounting plates, screws, wall plugs and installation instructions	Chameleon Acoustics panel, mounting plates or mounting strips, screws, wall plugs and installation instructions
Packaging unit:	1 unit	1 unit
Materials:	Wood, corrugated cardboard, polyethylene protective film	Single items: shrink wrap, corrugated cardboard, EPS corner protection. Large orders: bulk on pallet
Size:	Board dimensions + 3 cm width, 3 cm depth, 4 cm height	Size panel+ 4 cm all around. Total thickness: approx. 3 cm.

Experience Curve Combi in your project

Curious to see how Chameleon Curve Combi fits into your interior design?
We're happy to support you, from samples to custom solutions, from pCon files to showroom visits.

What you can do:

- Request a colour or material sample
- Download pCon-data for project visualisations
- Schedule a consultation with a product specialist
- Visit our showroom by appointment

Smit Visual B.V.

Spaarpot 120-122
5667 KZ Geldrop
The Netherlands

+31(0)40 - 280 85 00
info@smit-visual.nl
chameleonwriting.com